

L Number	Hits	Search Text	DB	Time stamp
1	1	hiroshi-horiuchi.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 08:22
2	412783	hiroshi.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 08:25
3	0	10321490.pran.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 08:23
4	279	hiroshi.in. and kanbara.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 08:28
5	1	horiuchi.in. and kanbara.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 08:37
6	5622	nishijima.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 08:37
7	30	nishijima-tadashi.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 08:48
-	6852	haneda.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 15:19
-	8	haneda.in. and tomihari.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/30 16:20
-	0	10222240.pran.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/30 16:28
-	21	fujitsu.as. and 19980821.prad.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/30 16:39
-	26	fujitsu.as. and 19971002.prad.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/30 16:40
-	3	0927092.pran.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/30 16:41
-	3621	("data buffer" same first same second) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 16:50

-	858	("data buffer" same first same second same bus) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 15:28
-	39	("data buffer" same first same second same bus same packet) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 15:47
-	1	("data buffer" same orb same packet) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 15:48
-	16	(orb same packet) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 15:58
-	55	(orb same buffer) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 15:59
-	19	(orb same buffer same write) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 16:14
-	574	("packet division") and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/07 11:24
-	58	("packet division" and "first data" and "second data") and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 16:42
-	86	("packet storage" and "first data" and "second data") and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 16:43
-	2401	("packet buffer") and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 16:50
-	296	("packet buffer" same first same second) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 16:51
-	7	("packet buffer" same "first data" same "second data") and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 17:21
-	0	(header same orb same stream same buffer) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 16:56
-	47	(header and orb and stream AND buffer) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 17:11

-	1	129137.apn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 17:09
-	955	(layer same buffer same packet) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 17:11
-	74	(layer same buffer same packet same write) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 15:17
-	154	((("packet buffer" "packet storage") same layer) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 17:21
-	1	((("packet buffer" "packet storage") same layer same divi\$4) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 17:22
-	175	((("packet buffer" "packet storage") same divi\$4) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 08:18
-	18549	takuya.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 17:30
-	105	ishida-takuya.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 17:30
-	33	((phy "physical layer") same application same packet same (buffer storage)) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 08:50
-	220	((((phy "physical layer") same packet same (buffer storage)) and @ad<19990715) not ((phy "physical layer") same application same packet same (buffer storage)) and @ad<19990715)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 13:49
-	1	"6141385".PN.	USPAT	2003/10/02 09:08
-	1	"6032190".PN.	USPAT	2003/10/02 09:09
-	1	"5948136".PN.	USPAT	2003/10/02 09:10
-	1	"5948079".PN.	USPAT	2003/10/02 09:11
-	1	"5835793".PN.	USPAT	2003/10/02 09:14
-	1	"5835793".PN.	USPAT	2003/10/02 09:15
-	1	"5948079".PN.	USPAT	2003/10/02 09:15
-	1	"5710773".PN.	USPAT	2003/10/02 09:15
-	1	"5621725".PN.	USPAT	2003/10/02 09:16
-	1	"5619157".PN.	USPAT	2003/10/02 09:16
-	1	"5608730".PN.	USPAT	2003/10/02 09:16

-	511	(710/5.ccls.) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 13:59
-	222	(710/29.ccls.) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 14:07
-	889	(710/52.ccls.) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 14:12
-	262	(710/57.ccls.) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 14:16
-	138	(710/106.ccls.) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 14:20
-	639	(710/107.ccls.) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 14:55
-	415	(709/232.ccls.) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 15:00
-	416	(709/231.ccls.) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 15:09
-	94	("request packet" same "response packet" same node) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 16:14
-	1	"5978854".PN.	USPAT	2003/10/02 15:32
-	82	("request packet" same "response packet" same transaction) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 16:29
-	59	((("request packet" same "response packet" same transaction) and @ad<19990715) not (("request packet" same "response packet" same node) and @ad<19990715)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 16:15
-	151	("request packet" same "response packet" same (process\$3 operating)) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 16:34
-	427	("request packet" same "response packet") and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/06 13:11
-	3757	(packet same response same request) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/06 13:12

-	3384	((packet with response) and (packet with request)) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/06 13:13
-	2000	((packet near4 response) and (packet near4 request)) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/06 13:13
-	1240	((packet near4 response) same (packet near4 request)) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/06 14:18
-	129	((packet near4 response) same (packet near4 request) same header) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/06 15:07
-	569	("packet field") and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/06 15:07
-	53	("packet field" same request) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 11:10
-	1	"5978854".PN.	USPAT	2003/10/06 15:35
-	1	"5815678".PN.	USPAT	2003/10/06 15:35
-	1	"5802055".PN.	USPAT	2003/10/06 15:36
-	1	"5799002".PN.	USPAT	2003/10/06 15:37
-	1	"5666362".PN.	USPAT	2003/10/06 15:38
-	1	"5632016".PN.	USPAT	2003/10/06 15:39
-	1	"5490258".PN.	USPAT	2003/10/06 15:43
-	1	"5388213".PN.	USPAT	2003/10/06 15:44
-	0	787218.apn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/06 15:54
-	4	787218.ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/06 15:54
-	41252	ishida.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/06 15:55
-	0	ishida-takuya.in. and @ad=20010315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/06 15:56
-	9	ishida-takuya.in.	US-PGPUB	2003/10/06 15:56

-	0	("address storage" same "transmission area") and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/07 11:25
-	7864	("address storage") and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/07 11:25
-	142	("address storage" same start same end) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/07 12:40
-	284	(storage same "start address" same "end address") and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/07 12:53
-	24	(storage same "start address" same "end address" same transmi\$5) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/07 13:29
-	22	("start address" same "end address" same transmi\$5 same (receive reception)) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/07 14:01
-	126	("start address" same "end address" same reserv\$3) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/07 15:12
-	1	"5862083".PN.	USPAT	2003/10/07 14:29
-	1	"5805854".PN.	USPAT	2003/10/07 14:29
-	1	"5737764".PN.	USPAT	2003/10/07 14:30
-	1	"5719808".PN.	USPAT	2003/10/07 14:30
-	1	"5696929".PN.	USPAT	2003/10/07 14:30
-	1	"5696917".PN.	USPAT	2003/10/07 14:30
-	1	"5671229".PN.	USPAT	2003/10/07 14:31
-	1	"5535328".PN.	USPAT	2003/10/07 14:31
-	1	"5530673".PN.	USPAT	2003/10/07 14:32
-	1	"5359569".PN.	USPAT	2003/10/07 14:45
-	1	"5341489".PN.	USPAT	2003/10/07 14:45
-	1	"5341339".PN.	USPAT	2003/10/07 14:45
-	1	"4530054".PN.	USPAT	2003/10/07 14:46
-	1	"4563752".PN.	USPAT	2003/10/07 14:48
-	1	"4899272".PN.	USPAT	2003/10/07 14:48
-	133	(370/218.ccls.) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/07 15:27

-	99	(370/218.ccls. and packet) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/07 15:17
-	44	(370/218.ccls. and packet same header) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/07 15:28
-	798	(370/389.ccls.) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/07 15:27
-	410	(370/389.ccls. and packet same header) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/07 15:29
-	292	(370/389.ccls. and packet same request) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/07 15:30
-	114	(370/389.ccls. and packet same request same response) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/07 16:57
-	2483	(370/392.ccls.) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/07 16:58
-	80	(370/392.ccls. and packet same request same response) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/07 17:08
-	21	(370/902.ccls.) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/07 17:10
-	22	(370/912.ccls.) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/07 17:11
-	2656	(packet near2 contents) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/07 17:11
-	98	("packet header" near2 contents) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/07 17:11
-	3643	(packet near4 contents) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 11:11
-	4587	(packet adj (contents contains)) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 11:12

-	677	(packet adj (contents)) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 11:13
-	690	(packet adj identifier) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 11:19
-	2532	(packet adj format) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 11:20
-	423	("packet format" same (contents contains)) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:58
-	304	((("packet format" same (contents contains)) and request) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:59
-	268	((("packet format" same (contents contains)) and request and (response reply responding replying)) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 13:46
-	66	(header same "transaction code") and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 16:40
-	16	(header same "transaction label") and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 15:52
-	103	("1394" same packet same write) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 15:52
-	42	("1394" same packet same write same address) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 16:40
-	6	(bit same reserve\$1 same "transaction code") and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 16:56
-	0	((bit near reserve\$1) same "transaction label") and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 16:56
-	1	((bit with reserve\$1) same "transaction label") and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 17:18
-	792	("start address" and "end address" and stor\$3 and transmi\$4 and (receive recep\$4)) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 08:45

-	29	("first start address" and "second start address") and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 17:25
-	349	("start address" and "stop address") and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 08:46
-	2	("first stop address" and "second stop address") and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 09:11
-	21	((memory storage) same "transmission area" same "reception area") and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 09:51
-	5620	nishijima.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 09:52
-	30	nishijima-tadashi.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 09:52
-	60	(bitmap\$3 near3 header) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 13:12
-	19	(bit-map\$3 near3 header) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 13:28
-	20	((bit-map\$3 bitmap\$3) near4 header) not ((bit-map\$3 near3 header) and @ad<19990715) ((bit-map\$3 near3 header) and @ad<19990715))) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 15:00
-	782	(transmit and receive and ((start or begin\$4) adj address) and ((end or stop) adj address)) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 15:25
-	384	(transmission and reception and ((start or begin\$4) adj address) and ((end or stop) adj address)) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 15:31
-	0	((transmission adj ((start or begin\$4) adj address)) and (reception adj ((end or stop) adj address))) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 15:33
-	37	((transmission reception) adj ((start or begin\$4) adj address))) and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 08:21